

TINGLEY

est. 1896

Cold Gear

Stock Number - C28323C

Compliance Standards: ANSI/ISEA 107 Type O, Class 1 and CSA Z96 Class 1 Level 2



Garment Detail:

Coveralls have Thermoficient™ lining for maximum body heat retention and set-in sleeve construction with full cut shoulder and 180 degree sleeve-to-body angle. The coverall has a zipper storm fly front with hidden snap closure and detachable insulated hood with knit wind seal and throat guard. Sleeve cuffs are tapered to cover knuckles with hook and loop take-up straps. Jacket has 3 exterior pockets, 2 slot pen pocket and a clear badge holder on the left sleeve, and elasticized rear waist. There is a zippered side opening for easy on/off located at each leg cuff. Each leg has 600D heavy duty cuff guard to prevent wear.

Garment Type: Insulated, water repellent, heat retention jacket

Reflective Tape: ANSI/ISEA 107 and CSA Z96 compliant 2" silver glass bead tape stitched to fluorescent yellow-green underlay and stitched to garment. Reflective tape layout meets the ANSI/ISEA 107 minimum requirement for Type O Class 1 garments.

Sizes: S, M, L, XL, 2X, 3X, 4X, 5X

Color: Black / Fluorescent Yellow-Green

Configuration: X Pattern tape layout with 1 horizontal band on body, 1 band on each sleeve and 2 horizontal bands on each leg.

Material: Black material is 420D PU coated nylon (5.0 oz.). The coveralls body, sleeves, and hood are lined with Thermoficient™ Aluminum Oxide coated 210T polyester taffeta filled with 240g/m² fiber fill polyester. Cuff guard is 600D nylon.

Labels/Tags:

1. Label sewn into left internal side seam displays ANSI/ISEA 107 and CSA Z96 compliance. Care instructions, fabric composition, lot and date codes are located on the reverse.
2. Woven label sewn at neck displays Tingley logo and size.
3. Hangtag with features and benefits, stock #, size, and UPC code.
4. "TINGLEY" logo ribbon label stitched to lower left side of front pocket.
5. "TINGLEY" logo sticker hangtag.
6. California Prop 65 Warning hangtag.

Seam Construction: Seams are double needle stitched. Hems are single needle stitched.

Closure Type: Storm fly front with heavy duty zipper and 5 snaps.

Packaging: Side loaded vented polyethylene bag

Pockets:

1. One exterior left chest zipper pocket
2. Two lined exterior handwarmer pockets
3. Two section exterior pen pocket located on the upper left sleeve with clear badge holder layered on top

Other:

Dimensions	S	M	L	XL	2X	3X	4X	5X
Chest	46	49	52	55	58	62	66	70
Waist	38	42	46	50	54	58	62	66
Front Rise	15.50	15.50	19.5	19.5	20.5	21.5	22.5	23.5
Back Rise	18.50	18.50	19.5	19.5	20.5	21.5	22.5	23.5
Sleeve Length	34.75	35.5	36.5	37.5	38.5	39.5	40.5	41.5

Case Pack: 6 each

Case Dimensions/Weight:

S	26"(L) X 18"(W) X 20"(H) / 31 lbs.	2X	26"(L) X 18"(W) X 20"(H) / 31 lbs.
M	26"(L) X 18"(W) X 20"(H) / 31 lbs.	3X	26"(L) X 18"(W) X 20"(H) / 31 lbs.
L	26"(L) X 18"(W) X 20"(H) / 31 lbs.	4X	26"(L) X 18"(W) X 20"(H) / 31 lbs.
XL	26"(L) X 18"(W) X 20"(H) / 31 lbs.	5X	26"(L) X 18"(W) X 20"(H) / 31 lbs.

TINGLEY

est. 1896

Cold Gear

Stock Number - C28343



Garment Detail:

Coveralls have Thermoficient™ lining for maximum body heat retention and set-in sleeve construction with full cut shoulder and 180 degree sleeve-to-body angle. The coverall has a zipper storm fly front with hidden snap closure and detachable insulated hood with knit wind seal and throat guard. Sleeve cuffs are tapered to cover knuckles with hook and loop take-up straps. Jacket has 3 exterior pockets, 2 slot pen pocket and a clear badge holder on the left sleeve, and elasticized rear waist. There is a zippered side opening for easy on/off located at each leg cuff. Each leg has 600D heavy duty cuff guard to prevent wear.

Garment Type: Insulated, water repellent, heat retention jacket

Sizes: S, M, L, XL, 2X, 3X, 4X, 5X

Color: Black

Material: Black material is 420D PU coated nylon (5.0 oz.). The coveralls body, sleeves, and hood are lined with Thermoficient™ Aluminum Oxide coated 210T polyester taffeta filled with 240g/m² fiber fill polyester. Cuff guard is 600D nylon.

Labels/Tags:

1. Label sewn into left internal side seam displays care instructions, fabric composition, lot and date codes.
2. Woven label sewn at neck displays Tingley logo and size.
3. Hangtag with features and benefits, stock #, size, and UPC code.
4. "TINGLEY" logo ribbon label stitched to lower left side of front pocket.
5. "TINGLEY" logo sticker hangtag.
6. California Prop 65 Warning hangtag.

Seam Construction: Seams are double needle stitched. Hems are single needle stitched.

Closure Type: Storm fly front with heavy duty zipper and 5 snaps.

Packaging: Side loaded vented polyethylene bag

Pockets:

1. One exterior left chest zipper pocket
2. Two lined exterior handwarmer pockets
3. Two section exterior pen pocket located on the upper left sleeve with clear badge holder layered on top

Other:

Dimensions	S	M	L	XL	2X	3X	4X	5X
Chest	46	49	52	55	58	62	66	70
Waist	38	42	46	50	54	58	62	66
Front Rise	15.50	15.50	19.5	19.5	20.5	21.5	22.5	23.5
Back Rise	18.50	18.50	19.5	19.5	20.5	21.5	22.5	23.5
Sleeve Length	34.75	35.5	36.5	37.5	38.5	39.5	40.5	41.5

Case Pack: 6 each

Case Dimensions/Weight:

S	26"(L) X 18"(W) X 20"(H) / 31 lbs.	2X	26"(L) X 18"(W) X 20"(H) / 31 lbs.
M	26"(L) X 18"(W) X 20"(H) / 31 lbs.	3X	26"(L) X 18"(W) X 20"(H) / 31 lbs.
L	26"(L) X 18"(W) X 20"(H) / 31 lbs.	4X	26"(L) X 18"(W) X 20"(H) / 31 lbs.
XL	26"(L) X 18"(W) X 20"(H) / 31 lbs.	5X	26"(L) X 18"(W) X 20"(H) / 31 lbs.

TINGLEY

est. 1896

Cold Gear

Stock Number - J28123C

Compliance Standards: ANSI/ISEA 107 Type O, Class 1 and CSA Z96 Class 1 Level 2



Garment Detail:

Jackets have Thermoficient™ lining for maximum body heat retention and set-in sleeve construction with full cut shoulder and 180 degree sleeve-to-body angle. The jacket has a zipper storm fly front with hidden snap closure and detachable insulated hood with knit wind seal and throat guard. Sleeve cuffs are tapered to cover knuckles with hook and loop take-up straps. Jacket has 1 interior and 3 exterior pockets, 2 slot pen pocket and a clear badge holder on the left sleeve, and tapered sweep with adjustable elastic drawcord and embellishment access zipper.

Garment Type: Insulated, water repellent, heat retention jacket

Reflective Tape: ANSI/ISEA 107 and CSA Z96 compliant 2" silver glass bead tape stitched to fluorescent yellow-green underlay and stitched to garment. Reflective tape layout meets the ANSI/ISEA 107 minimum requirement for Type O Class 1 garments.

Sizes: S, M, L, XL, 2X, 3X, 4X, 5X

Color: Black / Fluorescent Yellow-Green

Configuration: X Pattern tape layout with 1 horizontal band on body and 1 band on each sleeve.

Material: Black material is 420D PU coated nylon (5.0 oz.). The jacket body, sleeves, and hood are lined with Thermoficient™ Aluminum Oxide coated 210T polyester taffeta filled with 240g/m² fiber fill polyester.

Labels/Tags:

1. Label sewn into left internal side seam displays ANSI/ISEA 107 and CSA Z96 compliance. Care instructions, fabric composition, lot and date codes are located on the reverse.
2. Woven label sewn at neck displays Tingley logo and size.
3. Hangtag with features and benefits, stock #, size, and UPC code.
4. "TINGLEY" logo ribbon label stitched to lower left side of front pocket.
5. "TINGLEY" logo sticker hangtag.
6. California Prop 65 Warning hangtag.

Seam Construction: Seams are double needle stitched. Hems are single needle stitched.

Closure Type: Storm fly front with heavy duty zipper and 5 snaps.

Packaging: Side loaded vented polyethylene bag

Pockets:

1. One exterior left chest zipper pocket
2. Two lined exterior handwarmer pockets
3. Two section exterior pen pocket located on the upper left sleeve with clear badge holder layered on top
4. Interior pocket on the inside upper right with zipper closure

Other:

Dimensions	S	M	L	XL	2X	3X	4X	5X
Chest	46	50	53	56	59	63	67	71
Length	30.5	31	31.5	32	32.5	33	33.5	34
Sleeve Length	34.75	35.5	36.5	37.5	38.5	39.5	40.5	41.5

Case Pack: 6 each

Case Dimensions/Weight:

S	26"(L) X 18"(W) X 20"(H) / 22 lbs.	2X	26"(L) X 18"(W) X 20"(H) / 22 lbs.
M	26"(L) X 18"(W) X 20"(H) / 22 lbs.	3X	26"(L) X 18"(W) X 20"(H) / 22 lbs.
L	26"(L) X 18"(W) X 20"(H) / 22 lbs.	4X	26"(L) X 18"(W) X 20"(H) / 22 lbs.
XL	26"(L) X 18"(W) X 20"(H) / 22 lbs.	5X	26"(L) X 18"(W) X 20"(H) / 22 lbs.

TINGLEY

est. 1896

Cold Gear

Stock Number - J28143



Garment Detail:

Jackets have Thermoficient™ lining for maximum body heat retention and set-in sleeve construction with full cut shoulder and 180 degree sleeve-to-body angle. The jacket has a zipper storm fly front with hidden snap closure and detachable insulated hood with knit wind seal and throat guard. Sleeve cuffs are tapered to cover knuckles with hook and loop take-up straps. Jacket has 1 interior and 3 exterior pockets, 2 slot pen pocket and a clear badge holder on the left sleeve, and tapered sweep with adjustable elastic drawcord and embellishment access zipper.

Garment Type: Insulated, water repellent, heat retention jacket

Sizes: S, M, L, XL, 2X, 3X, 4X, 5X

Color: Black

Material: Black material is 420D PU coated nylon (5.0 oz.). The jacket body, sleeves, and hood are lined with Thermoficient™ Aluminum Oxide coated 210T polyester taffeta filled with 240g/m² fiber fill polyester.

Labels/Tags:

1. Label sewn into left internal side seam displays care instructions, fabric composition, lot and date codes.
2. Woven label sewn at neck displays Tingley logo and size.
3. Hangtag with features and benefits, stock #, size, and UPC code.
4. "TINGLEY" logo ribbon label stitched to lower left side of front pocket.
5. "TINGLEY" logo sticker hangtag.
6. California Prop 65 Warning hangtag.

Seam Construction: Seams are double needle stitched. Hems are single needle stitched.

Closure Type: Storm fly front with heavy duty zipper and 5 snaps.

Packaging: Side loaded vented polyethylene bag

Pockets:

1. One exterior left chest zipper pocket
2. Two lined exterior handwarmer pockets
3. Two section exterior pen pocket located on the upper left sleeve with clear badge holder layered on top
4. Interior pocket on the inside upper right with zipper closure

Other:

Dimensions	S	M	L	XL	2X	3X	4X	5X
Chest	46	50	53	56	59	63	67	71
Length	30.5	31	31.5	32	32.5	33	33.5	34
Sleeve Length	34.75	35.5	36.5	37.5	38.5	39.5	40.5	41.5

Case Pack: 6 each

Case Dimensions/Weight:

S	26"(L) X 18"(W) X 20"(H) / 22 lbs.	2X	26"(L) X 18"(W) X 20"(H) / 22 lbs.
M	26"(L) X 18"(W) X 20"(H) / 22 lbs.	3X	26"(L) X 18"(W) X 20"(H) / 22 lbs.
L	26"(L) X 18"(W) X 20"(H) / 22 lbs.	4X	26"(L) X 18"(W) X 20"(H) / 22 lbs.
XL	26"(L) X 18"(W) X 20"(H) / 22 lbs.	5X	26"(L) X 18"(W) X 20"(H) / 22 lbs.

TINGLEY

est. 1896

Cold Gear

Stock Number - O28223C



Garment Detail:

Bib overalls have a zipper storm fly front with hidden snap closure and Thermoficient™ lining for maximum body heat retention. Overalls have black elastic suspender straps with connector and quick release buckles. There is a zippered side opening for easy on/off located at each leg cuff. Overalls have 2 fleece lined pockets insulated with 140g/m² fiber fill polyester and secured badge holder. Each leg has 600D heavy duty cuff guard to prevent wear.

Garment Type: Insulated, water repellent, heat retention overalls

Reflective Tape: ANSI/ISEA 107 and CSA Z96 compliant 2" silver glass bead tape stitched to fluorescent yellow-green underlay and stitched to garment.

Sizes: S, M, L, XL, 2X, 3X, 4X, 5X

Color: Black / Fluorescent Yellow-Green

Configuration: 2 horizontal bands on each leg.

Material: Black material is 420D PU coated nylon (5.0 oz.). The body of the overalls are lined with Thermoficient™ Aluminum Oxide coated 210T polyester taffeta filled with 240g/m² fiber fill polyester. Cuff Guard is 600D nylon.

Labels/Tags:

1. Label sewn into left internal side seam. Care instructions, fabric composition, lot and date codes are located on the reverse.
2. Woven label sewn at rear interior displays Tingley logo and size.
3. Hangtag with feature an benefits, stock #, size, and UPC code.
4. "TINGLEY" logo ribbon label stitched to below left side of horizontal band of reflective tape.
5. "TINGLEY" logo sticker hangtag.
6. California Prop 65 Warning hangtag.

Seam Construction: Seams are double needle stitched. Hems are single needle stitched.

Closure Type: Storm fly front with heavy duty zipper and 3 snaps.

Packaging: Side loaded vented polyethylene bag

Pockets:

1. Two lined exterior handwarmer pockets
2. Secured clear badge holder

Other:

Dimensions	S	M	L	XL	2X	3X	4X	5X
Waist	43	45	47	49	51	53	56	59
Inseam	28	29	30	31	32	33	33	33

Case Pack: 6 each

Case Dimensions/Weight:

S	26"(L) X 16"(W) X 22"(H) / 22 lbs.	2X	26"(L) X 16"(W) X 22"(H) / 22 lbs.
M	26"(L) X 16"(W) X 22"(H) / 22 lbs.	3X	26"(L) X 16"(W) X 22"(H) / 22 lbs.
L	26"(L) X 16"(W) X 22"(H) / 22 lbs.	4X	26"(L) X 16"(W) X 22"(H) / 22 lbs.
XL	26"(L) X 16"(W) X 22"(H) / 22 lbs.	5X	26"(L) X 16"(W) X 22"(H) / 22 lbs.

TINGLEY

est. 1896

Cold Gear

Stock Number - O28243



Garment Detail:

Bib overalls have a zipper storm fly front with hidden snap closure and Thermoficient™ lining for maximum body heat retention. Overalls have black elastic suspender straps with connector and quick release buckles. There is a zippered side opening for easy on/off located at each leg cuff. Overalls have 2 fleece lined pockets insulated with 140g/m² fiber fill polyester and secured badge holder. Each leg has 600D heavy duty cuff guard to prevent wear.

Garment Type: Insulated, water repellent, heat retention overalls

Sizes: S, M, L, XL, 2X, 3X, 4X, 5X

Color: Black

Material: Black material is 420D PU coated nylon (5.0 oz.). The body of the overalls are lined with Thermoficient™ Aluminum Oxide coated 210T polyester taffeta filled with 240g/m² fiber fill polyester. Cuff Guard is 600D nylon.

Labels/Tags:

1. Label sewn into left internal side seam. Care instructions, fabric composition, lot and date codes are located on the reverse.
2. Woven label sewn at rear interior displays Tingley logo and size.
3. Hangtag with feature an benefits, stock #, size, and UPC code.
4. "TINGLEY" logo ribbon label stitched to below left side of horizontal band of reflective tape.
5. "TINGLEY" logo sticker hangtag.
6. California Prop 65 Warning hangtag.

Seam Construction: Seams are double needle stitched. Hems are single needle stitched.

Closure Type: Storm fly front with heavy duty zipper and 3 snaps.

Packaging: Side loaded vented polyethylene bag

Pockets:

1. Two lined exterior handwarmer pockets
2. Secured clear badge holder

Other:

Dimensions	S	M	L	XL	2X	3X	4X	5X
Waist	43	45	47	49	51	53	56	59
Inseam	28	29	30	31	32	33	33	33

Case Pack: 6 each

Case Dimensions/Weight:

S	26"(L) X 16"(W) X 22"(H) / 22 lbs.	2X	26"(L) X 16"(W) X 22"(H) / 22 lbs.
M	26"(L) X 16"(W) X 22"(H) / 22 lbs.	3X	26"(L) X 16"(W) X 22"(H) / 22 lbs.
L	26"(L) X 16"(W) X 22"(H) / 22 lbs.	4X	26"(L) X 16"(W) X 22"(H) / 22 lbs.
XL	26"(L) X 16"(W) X 22"(H) / 22 lbs.	5X	26"(L) X 16"(W) X 22"(H) / 22 lbs.